

## PUBLICATION 2017

1.	Lehl, H.K., Ong, S.-A., Ho, L.-N., Wong, Y.-S., Naemah Mohd Saad, F., Oon, Y.-L., Oon, Y.-S., Yong, C.-Y., Thung, W.-E., Multiple aerobic and anaerobic baffled constructed wetlands for simultaneous nitrogen and organic compounds removal, (2016) <i>Desalination and Water Treatment</i> , 57 (60), pp. 29160-29167. DOI: 10.1080/19443994.2016.1189698
2.	Wahab, J.A., Ghazali, M.J., Baharin, A.F.S., Microstructure and mechanical properties of plasma sprayed Al <sub>2</sub> O <sub>3</sub> - 13%TiO <sub>2</sub> Ceramic Coating, (2016) <i>MATEC Web of Conferences</i> , 87, art. no. 02027,
3.	Yee, T.G., Lin, O.H., Bindumadhavan, K., Doong, R.-A., Unveiling the thermal kinetics and scissoring mechanism of neolatrix polyethylene/reduced graphite oxide nanocomposites (2017) <i>Journal of Analytical and Applied Pyrolysis</i> , 123, pp. 20-29. DOI: 10.1016/j.jaap.2017.01.005
4.	Teo, S.C., Lan, D.N.U., Teh, P.L., Tran, L.Q.N., Mechanical behavior of palm oil-based composite foam and its sandwich structure with a flax-epoxy composite, (2016) <i>Journal of Applied Polymer Science</i> , 133 (45), art. no. 43977, DOI: 10.1002/app.43977
5.	Chun, K.S., Husseinsyah, S., Syazwani, N.F., Properties of kapok husk-filled linear low-density polyethylene ecocomposites, (2016) <i>Journal of Thermoplastic Composite Materials</i> , 29 (12), pp. 1641-1655. DOI: 10.1177/0892705715583175
6.	Lee, S.-L., Ho, L.-N., Ong, S.-A., Lee, G.-M., Wong, Y.-S., Voon, C.-H., Khalik, W.F., Yusoff, N.A., Nordin, N., Comparative Study of Photocatalytic Fuel Cell for Degradation of Methylene Blue under Sunlight and Ultra-Violet Light Irradiation, (2016) <i>Water, Air, and Soil Pollution</i> , 227 (12), art. no. 445, DOI: 10.1007/s11270-016-3148-9
7.	Fujiki, M., Yoshida, K., Suzuki, N., Rahim, N.A.A., Jalil, J.A., Tempo-spatial chirogenesis. Limonene-induced mirror symmetry breaking of Si-Si bond polymers during aggregation in chiral fluidic media, (2016) <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 331, pp. 120-129. DOI: 10.1016/j.jphotochem.2016.01.027
8.	Chun, K.S., Husseinsyah, S., Yeng, C.M., Effect of green coupling agent from waste oil fatty acid on the properties of polypropylene/cocoa pod husk composites, (2016) <i>Polymer Bulletin</i> , 73 (12), pp. 3465-3484. DOI: 10.1007/s00289-016-1682-7
9.	Ismail, H., Tan, B.K., Suharty, N.S., Husseinsyah, S., Supri, A.G., Effects of halloysite nanotubes on the properties of nanotubes composites), (2016) <i>Journal of Vinyl and Additive Technology</i> , 22 (4), pp. 487- 491. DOI: 10.1002/vnl.21473 polypropylene/(recycled natural rubber gloves)/(halloysite
10.	Villagracia, A.R.C., Mayol, A.P., Ubando, A.T., Biona, J.B.M.M., Arboleda, N.B., Jr., David, M.Y., Tumlos, R.B., Lee, H., Jr., Lin, O.H., Espiritu, R.A., Culaba, A.B., Kasai, H., Microwave drying characteristics of microalgae ( <i>Chlorella vulgaris</i> ) for biofuel production, (2016) <i>Clean Technologies and Environmental Policy</i> , 18 (8), pp. 2441-2451. DOI: 10.1007/s10098-016- 1169-
11.	Yusoff, N., Ong, S.-A., Ho, L.-N., Wong, Y.-S., Mohd Saad, F.N., Khalik, W., Lee, S.-L., Evaluation of biodegradation process: Comparative study between suspended and hybrid microorganism growth system in sequencing batch reactor (SBR) for removal of phenol, (2016) <i>Biochemical Engineering Journal</i> , 115, pp. 14-22. DOI: 10.1016/j.bej.2016.07.018
12.	Tony, V.C.S., Voon, C.H., Lee, C.C., Lim, B.Y., Arshad, M.K.M., Gopinath, S.C.B., Foo, K.L., Ruslinda, A.R., Hashim, U., Nashaain, M.N., Novel synthesis of silicon carbide nanotubes by microwave heating of blended silicon dioxide and multi-walled carbon nanotubes: The effect of the heating temperature, (2016) <i>Ceramics International</i> , 42 (15), pp. 17642-17649. DOI: 10.1016/j.ceramint.2016.08.080
13.	Zeng, G., McDonald, S.D., Mu, D., Terada, Y., Yasuda, H., Gu, Q., Salleh, M.A.A.M., Nogita, K. The influence of ageing on the stabilisation of interfacial (Cu,Ni) <sub>6</sub> (Sn,Zn) <sub>5</sub> and (Cu,Au,Ni) <sub>6</sub> Sn <sub>5</sub> intermetallics in Pb-free Ball Grid Array (BGA) solder joints (2016) <i>Journal of Alloys and Compounds</i> , 685, pp. 471-482. DOI: , 0.1016/j.jallcom.2016.05.263
14.	Nogita, K., Mohd Salleh, M.A.A., Tanaka, E., Zeng, G., McDonald, S.D., Matsumura, S.

	In Situ TEM Observations of Cu <sub>6</sub> Sn <sub>5</sub> Polymorphic Transformations in Reaction Layers Between Sn-0.7Cu Solders and Cu Substrates, (2016) JOM, 68 (11), pp. 2871-2878. DOI: 10.1007/s11837-016-2020-
15.	Mohd Salleh, M.A.A., McDonald, S.D., Gourlay, C.M., Yasuda, H., Nogita, K., Suppression of Cu <sub>6</sub> Sn <sub>5</sub> in TiO <sub>2</sub> reinforced solder joints after multiple reflow cycles, (2016) Materials and Design, 108, pp. 418-428. DOI: 10.1016/j.matdes.2016.06.121
16.	Ramli, M.I.I., Mohd Salleh, M.A.A., Derman, M.N., Said, R.M., Saud, N., Influence of Activated Carbon Particles on Intermetallic Compound Growth Mechanism in Sn-Cu-Ni Composite Solder, (2016) MATEC Web of Conferences, 78, art. no. 01064, . DOI: 10.1051/mateconf/20167801064
17.	Johar, B., Zaili, N.A., Fe-doped 8YSZ at different composition for solid electrolyte in solid oxide fuel cell, (2016) MATEC Web of Conferences, 78, art. no. 01102, . DOI: 10.1051/mateconf/20167801102
18.	Johar, B., Zabar, Y., The effect of ZnO addition on the phase transformation, microstructure, and ionic conductivity of 8YSZ ceramics, (2016) MATEC Web of Conferences, 78, art. no. 01101, ., DOI: 10.1051/mateconf/20167801101
19.	Pa, F.C., Chik, A., Bari, M.F., Palm Ash as an Alternative Source for Silica Production, (2016) MATEC Web of Conferences, 78, art. no. 01062, , DOI: 10.1051/mateconf/20167801062.
20.	Saud, N., Mohd Said, R., Mohd Salleh, M.A.A., Derman, M.N., Ramli, M.I.I., Mohd Nasir, N., An Investigation of TiO <sub>2</sub> Addition on Microstructure Evolution of Sn-Cu-Ni Solder Paste Composite, (2016) MATEC Web of Conferences, 78, art. no. 01070, DOI: 10.1051/mateconf/20167801070
21.	Azimi, E.A., Abdullah, M.M.A.B., Ming, L.Y., Yong, H.C., Hussin, K., Aziz, I.H., Review of Dolomite as Precursor of Geopolymer Materials, (2016) MATEC Web of Conferences, 78, art. no. 01090, DOI: 10.1051/mateconf/20167801090
22.	Faris, M.A., Abdullah, M.M.A.B., Ismail, K.N., Muniandy, R., Mahmad Nor, A., Putra Jaya, R., Waried Wazien, A.Z., Properties of Hooked Steel Fibers Reinforced Alkali Activated Material Concrete, (2016) MATEC Web of Conferences, 78, art. no. 01068, DOI: 10.1051/mateconf/20167801068
23.	Alakrach, A.M., Osman, A.F., Noriman, N.Z., Betar, B.O., Dahham, O.S., Thermal properties of ethyl vinyl acetate (EVA)/montmorillonite (MMT) nanocomposites for biomedical applications, (2016) MATEC Web of Conferences, 78, art. no. 01074, DOI: 10.1051/mateconf/20167801074
24.	Shahedan, N.F., Abdullah, M.M.A.B., Ghazali, C.M.R., Binhussain, M., Al Husaini, M., Hussin, K., Ramasamy, S., Morphology and Properties of Geopolymer Coatings on Glass Fibre-Reinforced Epoxy (GRE) pipe, (2016) MATEC Web of Conferences, 78, art. no. 01069, DOI: 10.1051/mateconf/20167801069
25.	Mahmad Nor, A., Yahya, Z., Abdullah, M.M.A.B., Abdul Razak, R., Jaya Ekaputri, J., Faris, M.A., Nur Hamzah, H., A Review on the Manufacturing of Lightweight Aggregates Using Industrial By-Product, (2016) MATEC Web of Conferences, 78, art. no. 01067, DOI: 10.1051/mateconf/20167801067
26.	Aziz, I.H., Abdullah, M.M.A.B., Cheng Yong, H., Yun Ming, L., Hussin, K., Abdul Kadir, A., Azimi, E.A., Manufacturing of Fire Resistance Geopolymer: A Review, (2016) MATEC Web of Conferences, 78, art. no. 01023, DOI: 10.1051/mateconf/20167801023
27.	Warid Wazien, A.Z., Abdullah, M.M.A.B., Abd Razak, R., Remy Rozainy, M.M.A.Z., Mohd Tahir, M.F., Faris, M.A., Nur Hamzah, H., Review on Potential of Geopolymer for Concrete Repair and Rehabilitation, (2016) MATEC Web of Conferences, 78, art. no. 01065, DOI: 10.1051/mateconf/20167801065
28.	Johar, B., Azhar, Z., Ahmad, Z.A., Synthesis and Characterization of Stabilized Zirconia Toughened Alumina (ZTA) Doped Niobium Pentoxide (Nb <sub>2</sub> O <sub>5</sub> ), (2016) MATEC Web of Conferences, 78, art. no. 01098, DOI: 10.1051/mateconf/20167801098
29.	Abd Wahab, N.Z., Nainggolan, I., Nasution, T.I., Derman, M.N., Shantini, D., Highly Response and Sensitivity Chitosan-Polyvinyl alcohol Based Hexanal Sensors, (2016) MATEC Web of Conferences, 78, art. no. 01072, DOI: 10.1051/mateconf/20167801072
30.	Eing, K.K., Johar, B., Ho, L.N., Zabar, Y., Influence of Sintering Temperature on

	Crystallization Behavior of Cordierite synthesized from Non-Stoichiometric Formulation, (2016) MATEC Web of Conferences, 78, art. no. 01099, DOI: 10.1051/mateconf/20167801099
31.	Ahmad, Z.A., Johar, B., Tinesha, S., Khor, S.F., Kok, E.K., Microstructure, Crystal structure and ionic conductivity of 3 mol % (Fe, Mn, Co, Zn) doped 8YSZ, (2016) MATEC Web of Conferences, 78, art. no. 01093, DOI: 10.1051/mateconf/20167801093
32.	Balaed, K., Noriman, N.Z., Dahham, O.S., Sam, S.T., Hamzah, R., Omar, M.F., Characterization and properties of low-linear-density polyethylene/Typha latifolia composites, (2016), International Journal of Polymer Analysis and Characterization, 21 (7), pp. 590-598., DOI: 10.1080/1023666X.2016.1183336
33.	Chun, K.S., Husseinsyah, S., Agrowaste-based composites from cocoa pod husk and polypropylene: Effect of filler content and chemical treatment, (2016) Journal of Thermoplastic Composite Materials, 29 (10), pp. 1332-1351., DOI: 10.1177/0892705714563125
34.	Ramli, M.I.I., Saud, N., Salleh, M.A.A.M., Derman, M.N., Said, R.M., Effect of TiO <sub>2</sub> additions on Sn-0.7Cu-0.05Ni lead-free composite solder, (2016) Microelectronics Reliability, 65, pp. 255-264 DOI: 10.1016/j.microrel.2016.08.011
35.	Supri, A.G., Siti Hajar, M.D., Hanif, M.P.M., Effect of type of conductive fillers and poly (ethylene glycol) diglycidyl ether on the electrical conductivity and morphology properties of poly (vinyl chloride)/poly (ethylene oxide) conductive films, (2016) Polymer Bulletin, 73 (10), pp. 2831-2841. DOI: 10.1007/s00289-016-1624-4
36.	Liew, Y.-M., Heah, C.-Y., Mohd Mustafa, A.B., Kamarudin, H., Structure and properties of clay-based geopolymers: A review, (2016) Progress in Materials Science, 83, pp. 595-629. DOI: 10.1016/j.pmatsci.2016.08.002
37.	Al-Douri, Y., Haider, A.J., Reshak, A.H., Bouhemadou, A., Ameri, M., Structural investigations through cobalt effect on ZnO nanostructures, (2016) Optik, 127 (20), pp. 10102-10107. DOI: 10.1016/j.ijleo.2016.08.012
38.	Hadjab, M., Berrah, S., Abid, H., Ziane, M.I., Bennacer, H., Reshak, A.H., First-principles investigation of the optical properties for rocksalt mixed metal oxide Mg <sub>x</sub> Zn <sub>1-x</sub> O, (2016), Materials Chemistry and Physics, 182, pp. 182-189. DOI: 10.1016/j.matchemphys.2016.07.021
39.	Chen, R.S., Ahmad, S., Gan, S., Salleh, M.N., Ab Ghani, M.H., Tarawneh, M.A., Effect of polymer blend matrix compatibility and fibre reinforcement content on thermal stability and flammability of ecomposites made from waste materials, (2016) Thermochimica Acta, 640, pp. 52-61. DOI: 10.1016/j.tca.2016.08.005
40.	Ridzuan, M.J.M., Majid, M.S.A., Afendi, M., Mazlee, M.N., Gibson, A.G., Thermal behaviour and dynamic mechanical analysis of Pennisetum purpureum/glass-reinforced epoxy hybrid composites, (2016) Composite Structures, 152, pp. 850-859 DOI: 10.1016/j.compstruct.2016.06.026
41.	Reshak, A.H., Hambali, N.A.M.A., Shahimin, M.M., Wahid, M.H.A., Anwar, N.E., Alahmed, Z.A., Chyský, J., Single Brillouin frequency shifted S-band multi-wavelength Brillouin-Raman fiber laser utilizing fiber Bragg grating and Raman amplifier in ring cavity, (2016) Optical Materials, 60, pp. 38-44. DOI: 10.1016/j.optmat.2016.07.008
42.	Kahar, A.W.M., Ismail, H., High-density polyethylene/natural rubber blends filled with thermoplastic tapioca starch: Physical and isothermal crystallization kinetics study, (2016), Journal of Vinyl and Additive Technology, 22 (3), pp. 191-199. DOI: 10.1002/vnl.21422
43.	Husseinsyah, S., Seong Chun, K., Hadi, A., Ahmad, R., Effect of filler loading and coconut oil coupling agent on properties of low-density polyethylene and palm kernel shell eco-composites (2016) Journal of Vinyl and Additive Technology, 22 (3), pp. 200-205. DOI: 10.1002/vnl.21423
44.	Jimoh, O.A., Mahmed, N., Okoye, P.U., Ariffin, K.S., Utilization of milk of lime (MOL) originated from carbide lime waste and operating parameters optimization study for potential precipitated calcium carbonate (PCC) production, (2016) Environmental Earth
45.	Thomas, S., Gharbi, O., Salleh, S.H., Volovitch, P., Ogle, K., Birbilis, N., On the effect of Fe concentration on Mg dissolution and activation studied using atomic emission

	spectroelectrochemistry and scanning electrochemical microscopy, (2016) <i>Electrochimica Acta</i> , 210, pp. 271-284. DOI: 10.1016/j.electacta.2016.05.164
46.	Osman, A.F., M. Fitri, T.F., Rakibuddin, M., Hashim, F., Tuan Johari, S.A.T., Ananthakrishnan, R., Ramli, R., Pre-dispersed organo-montmorillonite (organo-MMT) nanofiller: Morphology, cytocompatibility and impact on flexibility, toughness and biostability of biomedical ethyl vinyl acetate (EVA) copolymer, (2016) <i>Materials Science and Engineering C</i> , . Article in Press. DOI: 10.1016/j.msec.2016.11.137
47.	Hoong, L.J., Keat, Y.C., Chik, A., Leng, T.P., Band structure and thermoelectric properties of inkjet printed ZnO and ZnFe <sub>2</sub> O <sub>4</sub> thin films, (2016) <i>Ceramics International</i> , 42 (10), pp. 12064-12073. DOI: 10.1016/j.ceramint.2016.04.135
48.	Yunos, N.F.M., Idris, M.A., Munusamy, S.R.R., Amanzuria, K., Najmi, N.H., Reduction mechanism of recycled Polypropylene (PP) - iron oxide composite pellet for steelmaking processes, (2016) <i>ARPJ Journal of Engineering and Applied Sciences</i> , 11 (16), pp. 9765-9769.
49.	Ismail, A.N., Yunos, N.M., Jamaludin, S.B., Najmi, N.H., Idris, M.A., Reduction of FeO in EAF steelmaking slag with palm shells under different activation methods, (2016) <i>ARPJ Journal of Engineering and Applied Sciences</i> , 11 (16), pp. 9776-9782.
50.	Thung, W.-E., Ong, S.-A., Ho, L.-N., Wong, Y.-S., Ridwan, F., Oon, Y.-L., Oon, Y.-S., Lehl, H.K. Bioelectricity Generation in Batch-Fed Up-Flow Membrane-Less Microbial Fuel Cell: Effect of Surface Morphology of Carbon Materials as Aqueous Biocathodes, (2016) <i>Water, Air, and Soil Pollution</i> , 227 (8), art. no. 254, . DOI: 10.1007/s11270-016-2961-5
51.	Lim, B.Y., Voon, C.H., Salmah, H., Nadiatul Husna, A., Characterization of palm kernel shell filled polylactic acid composites, (2016) <i>ARPJ Journal of Engineering and Applied Sciences</i> , 11 (16), pp. 9759-9764.,
52.	S. Tony, V.C., Voon, C.H., Lee, C.C., Lim, B.Y., Hashim, U., Rahman, W., Ruslinda, A.R., Md Arshad, M.K., Foo, K.L., Liu, W.W., Ayub, R.M., Ba Hashwan, S.S., Majid, M., Thivina, V. Characterization of silicon carbide nanotube synthesized using microwave heating (2016) <i>ARPJ Journal of Engineering and Applied Sciences</i> , 11 (16), pp. 9730-9736.
53.	Mohammed, K.S., Naeem, H.T., Iskak, S.N., Study of the feasibility of producing Al-Ni intermetallic compounds by mechanical alloying, (2016) <i>Physics of Metals and Metallography</i> , 117 (8), pp. 795-804. DOI: 10.1134/S0031918X16080056
54.	Sugumaran, S., Jamlos, M.F., Ahmad, M.N., Bellan, C.S., Sivaraj, M., Thickness and annealing effects on thermally evaporated InZnO thin films for gas sensors and blue, green and yellow emissive optical devices, (2016) <i>Optical Materials</i> , 58, pp. 342-352. DOI: 10.1016/j.optmat.2016.05.049
55.	Abdul Rahim, N.A., Fujiki, M., Aggregation-induced scaffolding: Photocrosslinkable helical polysilane generates circularly polarized luminescent polyfluorene, (2016) <i>Polymer Chemistry</i> , 7 (28), pp. 4618-4629. DOI: 10.1039/c6py00595k
56.	Lee, S.-L., Ho, L.-N., Ong, S.-A., Wong, Y.-S., Voon, C.-H., Khalik, W.F., Yusoff, N.A., Nordin, N., Enhanced electricity generation and degradation of the azo dye Reactive Green 19 in a photocatalytic fuel cell using ZnO/Zn as the photoanode, (2016) <i>Journal of Cleaner Production</i> , 127, pp. 579-584. DOI: 10.1016/j.jclepro.2016.03.169
57.	Husseinsyah, S., Zailuddin, N.L.I., Li, C.L., Zakaria, M.M., Tensile and characterization properties of regenerated cellulose empty fruit bunch biocomposite films using ionic liquid, (2016) <i>AIP Conference Proceedings</i> , 1756, art. no. 040008, DOI: 10.1063/1.4958769
58.	Edzatty, A.N., Syazwan, S.M., Norzilah, A.H., Jamaludin, S.B., Effect of reactor temperature on direct growth of carbon nanomaterials on stainless steel, (2016) <i>AIP Conference Proceedings</i> , 1756, art. no. 090003, DOI: 10.1063/1.4958784
59.	Zaini, N.B.M., Nazeri, M.F.B.M., Potentiodynamic polarization effect on phase and microstructure of SAC305 solder in hydrochloric acid solution, (2016) <i>AIP Conference Proceedings</i> , 1756, art. no. 030007, DOI: 10.1063/1.4958759
60.	Ab Liah, N., Jamaludin, S.B., Daud, Z.C., Zaludin, M.A.F., Jamal, Z.A.Z., Idris, M.S., Osman, R.A.M., Corrosion behavior of Mg-3Zn/bioglass (45S5) composite in simulated body fluid (SBF) and phosphate buffered saline (PBS) solution, (2016) <i>AIP Conference Proceedings</i> , 1756, art. no. 030001, DOI: 10.1063/1.4958753

61.	Nadzri, N.I.M., Jamaludin, S.B., Mazlee, M.N., Jamal, Z.A.Z., Optimization of fly ash as sand replacement materials (SRM) in cement composites containing coconut fiber, (2016) AIP Conference Proceedings, 1756, art. no. 040004, DOI: 10.1063/1.4958765
62.	Mohd Zaheruddin, K., Rahmat, A., Shamsul, J.B., Mohd Nazree, B.D., Aimi Noorliyana, H., Synthesis of dense nano cobalt-hydroxyapatite by modified electroless deposition technique, (2016) AIP Conference Proceedings, 1756, art. no. 090009, DOI: 10.1063/1.4958790
63.	Rushdi, N.M.F.M., Jamaludin, S.B., Mazlee, M.N., Jamal, Z.A.Z., Correlation between porosity and space holder content at different sintering temperatures of aluminum foam, (2016) AIP Conference Proceedings, 1756, art. no. 030005, . DOI: 10.1063/1.4958757
64.	Mustafa, T.N.A.S.T., Munusamy, S.R.R., Lan, D.N.U., Yunos, N.F.M., Effect of quartz content on the physical and structural properties of carbonate rocks from Perlis, Malaysia, (2016) AIP Conference Proceedings, 1756, art. no. 090008, DOI: 10.1063/1.4958789
65.	Syaza Nabilla, M.S., Zuraidawani, C.D., Nazree, D.M., Effect of Ca content percentage and sintering temperature on corrosion rate in Mg-Ca composite fabricated using powder metallurgy technique, (2016) AIP Conference Proceedings, 1756, art. no. 030009, . DOI: 10.1063/1.4958761
66.	Ab Liah, N., Jamaludin, S.B., Daud, Z.C., Zaludin, M.A.F., Mg-Zn based composites reinforced with bioactive glass (45S5) fabricated via powder metallurgy, (2016) AIP Conference Proceedings, 1756, art. no. 030004, . DOI: 10.1063/1.4958756
67.	Mazlee, M.N., Sustainable catalyst supports for carbon dioxide gas adsorbent, (2016) AIP Conference Proceedings, 1756, art. no. 020002,
68.	Hahary, F.N., Husseinsyah, S., Zakaria, M.M., The effect of different anti-solvent and coconut shell content on properties of coconut shell regenerated cellulose biocomposite films, (2016) AIP Conference Proceedings, 1756, art. no. 040007, DOI: 10.1063/1.4958768
69.	Husni, H.N., Mahmed, N., Ngee, H.L., Synthesis and characterization of Fe <sub>3</sub> O <sub>4</sub> -SiO <sub>2</sub> -AgCl photocatalyst, (2016) AIP Conference Proceedings, 1756, art. no. 090001 DOI: 10.1063/1.4958782
70.	Zaludin, M.A.F., Jamal, Z.A.Z., Jamaludin, S.B., Derman, M.N., A brief review of calcium phosphate conversion coating on magnesium and its alloys, (2016) AIP Conference Proceedings, 1756, art. no. 080001, DOI: 10.1063/1.4958780
71.	Yasmin, Y., Mazlee, M.N., Norzilah, A.H., Shamsul, J.B., Azmi, R., Chan, W.H., The investigation of physical and mechanical properties of porous anorthite ceramics using statistical analysis, (2016) AIP Conference Proceedings, 1756, art. no. 090011, DOI: 10.1063/1.4958792
72.	Khoni, N.A.A., Sharifah Shahnaz, S.B., Ghazali, C.M.R., Effect of winding layer and speed on kenaf/glass fiber hybrid reinforced acrylonitrile butadiene styrene (ABS) composites, (2016) AIP Conference Proceedings, 1756, art. no. 040002, DOI: 10.1063/1.4958763
73.	Sulong, T.A.T., Osman, R.A.M., Idris, M.S., Trends of microwave dielectric materials for antenna application, (2016) AIP Conference Proceedings, 1756, art. no. 070003, . DOI: 10.1063/1.4958779
74.	Zakaria, N., Osman, R.A.M., Idris, M.S., Structure refinement of Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>3-d</sub> as cathode materials for intermediate temperature solid oxide fuel cells (IT-SOFC), (2016) AIP Conference Proceedings, 1756, art. no. 090006, DOI: 10.1063/1.4958787
75.	Zainal, F.F., Hussin, K., Rahmat, A., Abdullah, M.M.A.B., Shamsudin, S.R., A study on hardness behavior of geopolymer paste in different condition, (2016) AIP Conference Proceedings, 1756, art. no. 040001, DOI: 10.1063/1.4958762
76.	Lim, B.Y., Voon, C.H., Salmah, H., Nordin, H., Chitosan filled recycled low density polyethylene composite: Melt flow behaviour and thermal degradation properties, (2016) AIP Conference Proceedings, 1756, art. no. 040011, DOI: 10.1063/1.4958772
77.	Shamsuddin, S.A., Derman, M.N., Hashim, U., Kashif, M., Adam, T., Halim, N.H.A., Tahir, M.F.M., Nitric acid treated multi-walled carbon nanotubes optimized by Taguchi method (2016) AIP Conference Proceedings, 1756, art. no. 090002, DOI: 10.1063/1.4958783
78.	Adli, N., Razak, N.R.A., Saud, N, Enhancement on wettability and intermetallic compound

	formation with an addition of Al on Sn-0.7Cu lead-free solder fabricated via powder metallurgy method, (2016) AIP Conference Proceedings, 1756, art. no. 070001, DOI: 10.1063/1.4958777
79.	Ismail, F.A., Osman, R.A.M., Idris, M.S., Review on dielectric properties of rare earth doped barium titanate, (2016) AIP Conference Proceedings, 1756, art. no. 090005, DOI: 10.1063/1.4958786
80.	Zhafer, S.F., Rozyanty, A.R., Shahnaz, S.B.S., Musa, L., Zuliahani, A., Kenaf-glass fiber reinforced unsaturated polyester hybrid composites: Tensile properties, (2016) AIP Conference Proceedings, 1756, art. no. 040009, DOI: 10.1063/1.4958770
81.	Zaidi, N.H.A., Jamaludin, S.B., Zaidi, A.M.A., Ahmad, K.R., Semi empirical hardness predictive model for AZ91 nanocomposite, (2016) AIP Conference Proceedings, 1756, art. no. 050002, DOI: 10.1063/1.4958774
82.	Shamsudin, S.R., Hashim, N., Ibrahim, M.S.B., Rahman, M.S.A., Idrus, M.A., Hassan, M.R., Abdullah, W.R.W., Corrosion study on high power feeding of telecommunication copper cable in 5 wt.% CaSO <sub>4</sub> .2H <sub>2</sub> O solution, (2016) AIP Conference Proceedings, 1756, art. no. 030008, DOI: 10.1063/1.4958760
83.	Adnan, S.A., Zainuddin, F., Zaidi, N.H.A., Akil, H.M., Ahmad, S., Polyurethane foam with multi walled carbon nanotubes/magnesium hybrid filler, (2016) AIP Conference Proceedings, 1756, art. no. 040010, . DOI: 10.1063/1.4958771
84.	Wahab, J.A., Ghazali, M.J., Yusoff, W.M.W., Sajuri, Z., Enhancing material performance through laser surface texturing: a review, (2016) Transactions of the Institute of Metal Finishing, 94 (4), pp. 193-198. DOI: 10.1080/00202967.2016.1191141
85.	Faris, M.A., Abdullah, M.M.A.B., Ismail, K.N., Muniandy, R., Jaya, R.P, Performance of Straight Steel Fibres Reinforced Alkali Activated Concrete, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012045DOI: 10.1088/1757-899X/133/1/012045
86.	Ramasamy, S., Hussin, K., Abdullah, M.M.A.B., Ghazali, C.M.R., Binhussain, M., Sandu, A.V., Interrelationship of Kaolin, Alkaline Liquid Ratio and Strength of Kaolin Geopolymer, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012004, DOI: 10.1088/1757-899X/133/1/012004
87.	Wazien, A.Z.W., Abdullah, M.M.A.B., Abd Razak, R., Rozainy, M.A.Z.M.R., Tahir, M.F.M., Strength and Density of Geopolymer Mortar Cured at Ambient Temperature for Use as Repair Material, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012042, . DOI: 10.1088/1757-899X/133/1/012042
88.	Saad, S.R., Mahmed, N., Abdullah, M.M.A.B., Sandu, A.V., Self-Cleaning Technology in Fabric: A Review, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012028, . DOI: 10.1088/1757-899X/133/1/012028
89.	Zailan, S.N., Mahmed, N., Abdullah, M.M.A.B., Sandu, A.V., Self-cleaning geopolymer concrete - A review, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012026, DOI: 10.1088/1757-899X/133/1/012026
90.	Hakim, M.I., Shahnaz, S.S.B., Luqman, M., Anis, N.I., Shuhaida, Y., Zaharah, S.A., Baidi, M.B., Yu, C.W., Kathiresan, V.S., Investigation on the mechanical and physical properties of TPU/PVC blend as potential material of bedpan, (2016) IOP Conference Series: Materials Science and Engineering, 133 (1), art. no. 012018, DOI: 10.1088/1757-899X/133/1/012018
91.	Ghani, S.A., Din, S.H.M., Jalil, J.A., Properties of Poly(vinyl chloride)/poly(ethylene oxide)/polyaniline Conductive Films: The Effect of Poly(ethylene glycol) Diglycidyl Ether, (2016) Polymer - Plastics Technology and Engineering, 55 (9), pp. 929-936. DOI: 10.1080/03602559.2015.1132440
92.	Yusoff, N., Ho, L.-N., Ong, S.-A., Wong, Y.-S., Khalik, W., Photocatalytic activity of zinc oxide (ZnO) synthesized through different methods, (2016) Desalination and Water Treatment, 57 (27), pp. 12496-12507., DOI: 10.1080/19443994.2015.1054312 DOCUMENT TYPE: Article
93.	Omar, M.F., Akil, H.M., Ahmad, Z.A., Rasyid, M.F.A., Noriman, N.Z., Effect of ion exchange treatment on dynamic compression properties of polypropylene/muscovite-layered silicate composites, (2016) Journal of Thermoplastic Composite Materials, 29 (6), pp. 867-

	889. DOI: 10.1177/0892705714535796
94.	Dahame, T., Bentría, B., Faraoun, H., Benghia, A., Reshak, A.H., Electronic structure, first and second order physical properties of MPS4: A theoretical study, (2016) Materials Science- Poland, 34 (2), pp. 275-285. DOI: 10.1515/msp-2016-0060
95.	Reshak, A.H., Alahmed, Z.A., Bila, J., Atuchin, V.V., Bazarov, B.G., Chimitova, O.D., Molokeev, M.S., Prosvirin, I.P., Yelissev, A.P., Exploration of the Electronic Structure of Monoclinic $\alpha$ -Eu <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> : DFT-Based Study and X-ray Photoelectron Spectroscopy, (2016) Journal of Physical Chemistry C, 120 (19), pp. 10559-10568. DOI: 10.1021/acs.jpcc.6b01489
96.	Phua, J.-L., Teh, P.-L., Ghani, S.A., Yeoh, C.-K., Comparison study of carbon black (CB) used as conductive filler in epoxy and polymethylmethacrylate (PMMA), (2016) Journal of Polymer Engineering, 36 (4), pp. 391-398. DOI: 10.1515/polyeng-2015-0026
97.	Tanjung, F.A., Husseinsyah, S., Hussin, K., Hassan, A., Mechanical and thermal properties of organosolv lignin/sodium dodecyl sulphate binary agent-treated polypropylene/chitosan composites, (2016) Polymer Bulletin, 73 (5), pp. 1427-1445, DOI: 10.1007/s00289-015- 1556-4
98.	Thakur, J., Kashyap, M.K., Saini, H.S., Reshak, A.H., Half metallicity and magnetism in graphene containing monovacancies decorated with Carbon/Nitrogen adatom, (2016) Journal of Alloys and Compounds, 663, pp. 100-106. DOI: 10.1016/j.jallcom.2015.12.117
99.	Mohaiyiddin, M.S., Lin, O.H., Akil, H.M., Yee, T.G., Adik, N.N.A.N., Villagracia, A.R., Effects of polypropylene methyl polyhedral oligomeric silsesquioxanes and polypropylene-grafted maleic anhydride compatibilizers on the properties of palm kernel shell reinforced polypropylene biocomposites, (2016) Polimeros, 26 (3), pp. 228-235 DOI: 10.1590/0104- 1428.2038
100	. Sugumaran, S., Noor Bin Ahmad, M., Faizal Jamlos, M., Bellan, C.S., Chandran, S., Sivaraj, M., New possibility on InZnO nano thin film for green emissive optoelectronic devices, (2016) Optical Materials, 54, pp. 67-73. DOI: 10.1016/j.optmat.2016.02.007
101	. Mohd Nazeri, M.F., Mohamad, A.A., Corrosion resistance of ternary Sn-9Zn-xIn solder joint in alkaline solution, (2016) Journal of Alloys and Compounds, 661, pp. 516-525. DOI: 10.1016/j.jallcom.2015.11.184
102	. Osman, A.F., Kalo, H., Hassan, M.S., Hong, T.W., Azmi, F., Pre-dispersing of montmorillonite nanofiller: Impact on morphology and performance of melt compounded ethyl vinyl acetate nanocomposites, (2016) Journal of Applied Polymer Science, 133 (11), art. no. 43204, DOI: 10.1002/app.43204
103	. Reshak, A.H., Lead nitrate hydroxide: A strong second-order optical nonlinearity acentric crystal with high laser damage thresholds, (2016) Journal of Applied Physics, 119 (10), art. no. 105706, . DOI: 10.1063/1.4943650
104	. Chan, W.H., Mazlee, M.N., Ahmad, Z.A., Ishak, M.A.M., Shamsul, J.B., Effects of fly ash addition on physical properties of porous clay-fly ash composites via polymeric replica technique, (2016) Journal of Material Cycles and Waste Management, pp. 1-10. Article in Press, DOI: 10.1007/s10163-016-0481-4
105	. Reshak, A.H., Revealing the origin of the strong second harmonic generation of Li <sub>2</sub> CdXS <sub>4</sub> and Li <sub>2</sub> CdXS <sub>4</sub> (X = Ge or Sn), (2016) Journal of Applied Physics, 119 (9), art. no. 095709, DOI: 10.1063/1.4943100
106	. Reshak, A.H., Revealing the influence of the compression mechanism on the electronic structure and the related properties of CrF <sub>3</sub> , (2016) Journal of Alloys and Compounds, 660, pp. 1-10. DOI: 10.1016/j.jallcom.2015.11.035
107	. Reshak, A.H., Auluck, S., LiMoO <sub>3</sub> (IO <sub>3</sub> ), a novel molybdenyl iodate with strong second-order optical nonlinearity, (2016) Journal of Alloys and Compounds, 660, pp. 32-38. DOI: 10.1016/j.jallcom.2015.11.076
108	. Oon, Y.-L., Ong, S.-A., Ho, L.-N., Wong, Y.-S., Dahalan, F.A., Oon, Y.-S., Lehl, H.K., Thung, W.- E., Synergistic effect of up-flow constructed wetland and microbial fuel cell for simultaneous wastewater treatment and energy recovery, (2016) Bioresource Technology, 203, pp. 190-197. DOI: 10.1016/j.biortech.2015.12.011
109	. Jaya, H., Omar, M.F., Akil, H.M., Ahmad, Z.A., Zulkepli, N.N., Al Bakri Abdullah, M.M.,

	Sandu, I.G., Vizureanu, P., Effect of surface modification on sawdust reinforced high density polyethylene composites under a wide range of strain rates, (2016) <i>Materiale Plastice</i> , 53 (1), pp. 85-90.
110	. Reshak, A.H., Spin-polarization in filled-skutterudites LaFe <sub>4</sub> Pn <sub>12</sub> (Pn=P, As and Sb), (2016) <i>Journal of Magnetism and Magnetic Materials</i> , 401, pp. 684-694. DOI: 10.1016/j.jmmm.2015.10.099
111	. Wahab, N.S.A., Omar, M.F., Akil, H.M., Zulkepli, N.N., Al Bakri Abdullah, M.M., Sandu, I., Static and dynamic mechanical properties of rice husk (RH)/linear low density polyethylene (LLDPE) composites under various loading rates, (2016) <i>Materiale Plastice</i> , 53 (1), pp. 42-47.
112	. Ul Haq, B., Ahmed, R., Shaari, A., Ali, N., Al-Douri, Y., Reshak, A.H., Comparative study of Fe doped ZnO based diluted and condensed magnetic semiconductors in wurtzite and zinc-blende structures by first-principles calculations, (2016) <i>Materials Science in Semiconductor Processing</i> , 43, pp. 123-128. DOI: 10.1016/j.mssp.2015.12.010
113	. Adik, N.N.A.N., Lin, O.H., Akil, H.M., Sandu, A.V., Villagrancia, A.R., Santos, G.N., Effects of stearic acid on tensile, morphological and thermal analysis of polypropylene (PP)/dolomite (DOL) composites, (2016) <i>Materiale Plastice</i> , 53 (1), pp. 61-64.
114	. Reshak, A.H., DFT calculations for the electronic structure of alpha phase of CsMgH <sub>3</sub> as advanced hydrogen storage materials, (2016) <i>International Journal of Hydrogen Energy</i> , 41 (4), pp. 2762-2770. DOI: 10.1016/j.ijhydene.2015.11.127
115	. Hahary, F.N., Husseinsyah, S., Zakaria, M.M., Improved properties of coconut shell regenerated cellulose biocomposite films using butyl methacrylate, (2016) <i>BioResources</i> , 11 (1), pp. 886-898., DOI: 10.15376/biores.11.1.886-898
116	. Mohd Zaini, N., Mohd Nazeri, M.F., Corrosion study of SAC305 solder in acidic solution (2016) <i>Materials Science Forum</i> , 840, pp. 336-339 DOI: 10.4028/www.scientific.net/MSF.840.336
117	. Adzali, N.M.S., Jamaludin, S.B., Derman, M.N., In vitro bioactivity evaluation of Co-Cr-Mo (F-75)/HAP composites, (2016) <i>Advanced Materials, Structures and Mechanical Engineering - Proceedings of the International Conference on Advanced Materials, Structures and Mechanical Engineering</i> , pp. 189-194
118	. Hasnan, M.A.D., Husseinsyah, S., Ying, L.B., Abd Rahman, M.F., Chemical modification of palm kernel shell filled polylactic acid biocomposite films, (2016) <i>BioResources</i> , 11 (3), pp. 6639-6648. DOI: 10.15376/biores.11.3.6639-6648
119	. Adli, N., Razak, N.R.A., Saud, N., The effects of zinc addition on the microstructure, melting point and microhardness of Sn-0.7Cu lead-free solder fabricated via powder metallurgy method (2016) <i>Materials Science Forum</i> , 857, pp. 13-17. DOI: 10.4028/www.scientific.net/MSF.857.13
120	. Pa, F.C., Chik, A., Fazlul Bari, Md., Treated oil palm ash as precursor in the zeolite synthesis, (2016) <i>Key Engineering Materials</i> , 673, pp. 13-20. DOI: 10.4028/www.scientific.net/KEM.673.13
121	. Nasir, N.M., Saud, N., Salleh, M.A.A.M., Derman, M.N., Ramli, M.I.I., Said, R.M., Improvement of Sn - 0.7Cu lead free solder joints on shear strength with addition of titanium oxide (TiO <sub>2</sub> ) particles, (2016) <i>Materials Science Forum</i> , 857, pp. 68-72. DOI: 10.4028/www.scientific.net/MSF.857.68
122	. Lim, J.H., Yeoh, C.K., Chik, A., Teh, P.L., Effect of Al excess on the band structure of ZnO using density functional theory, (2016) <i>Materials Science Forum</i> , 857, pp. 106-110. DOI: 10.4028/www.scientific.net/MSF.857.106
123	. Muzni, N.H.M., Jamil, N.H., Keat, Y.C., Removal of iron (Fe) in rice husk via citric acid leaching treatment, (2016) <i>Materials Science Forum</i> , 857, pp. 540-546. DOI: 10.4028/www.scientific.net/MSF.857.3
124	. Ramli, M.I.I., Mohd Salleh, M.A.A., Derman, M.N., Said, R.M., Nasir, N.M., Saud, N., Wettability and shear strength of Sn-Cu-Ni-xSi <sub>3</sub> N <sub>4</sub> composite solder, (2016) <i>Key Engineering Materials</i> , 700, pp. 152-160. DOI: 10.4028/www.scientific.net/KEM.700.152
125	. Aqzna, S.S., Yeoh, C.K., Supri, A.G., Atiqah, T.N., Amali, H.K., Khalijah, S.K., Aw, Y.Y., Teh, P.L., Effect of stoichiometry and sintering temperature on the mechanical properties of



	zinc ferrite ( $Zn_xFe_{3-x}O_4$ ), (2016) Materials Science Forum, 857, pp. 126-130. DOI: 10.4028/www.scientific.net/MSF.857.126
126	. Ishak, S.N., Teh, P.L., Du Ngoc, U.L., Yeoh, C.K., Porous Epoxy: Effect of Mixing Sequences (ELH versus EHL) Using Toluene as Extraction Medium via Ultrasonic Technique, (2016) International Journal of Polymer Science, 2016, art. no. 4385626,
127	. Hoong, L.J., Keat, Y.C., Chik, A., Leng, T.P, Optimization parameter for thermoelectric properties of ZnO using response surface methodology [Pengoptimuman parameter untuk sifat termoelektrik ZnO menggunakan kaedah gerak balas permukaan], (2016) Malaysian Journal of Analytical Sciences, 20 (5), pp. 1001-1010. DOI: 10.17576/mjas-2016-2005-04
128	. Said, R.M., Salleh, M.A.A.M., Derman, M.N., Ramli, M.I.I., Nasir, N.M., Saud, N., Isothermal aging affect to the growth of Sn-Cu-Ni-1 wt. % TiO <sub>2</sub> composite solder paste, (2016) Key Engineering Materials, 700, pp. 123-131. DOI: 10.4028/www.scientific.net/KEM.700.123
129	. Mohd Tajuddin, M.T., Jamaludin, S.B., The effect of sintering temperature to the microstructure of Pm F75 (Co-Cr-Mo) alloy, (2016) Materials Science Forum, 857, pp. 242-245. DOI: 10.4028/www.scientific.net/MSF.857.242
130	. Perdana, I.R.W., Al-Hadi, A.A., Bukhari, M.Z., The shielding materials from EM radiation for aircraft fuselage, (2016) Materials Science Forum, 857, pp. 598-602. DOI: 10.4028/www.scientific.net/MSF.857.598
131	. Phua, J.-L., Teh, P.-L., Ghani, S.A., Yeoh, C.-K., Effect of Heat Assisted Bath Sonication on the Mechanical and Thermal Deformation Behaviours of Graphene Nanoplatelets Filled Epoxy Polymer Composites, (2016) International Journal of Polymer Science, 2016, art. no. 9767183, DOI: 10.1155/2016/9767183
132	. Yasmin, Y., Mazlee, M.N., Norzilah, A.H., Shamsul, J.B., Azmi, R., Chan, W.H., Jahidi, H., The development and characterisation of porous clay - Precipitated calcium carbonate, (2016) Key Engineering Materials, 694, pp. 189-194. DOI: 0.4028/www.scientific.net/KEM.694.189
133	. Phua, J.-L., Teh, P.-L., Ghani, S.A., Yeoh, C.-K., Influence of thermoplastic spacer on the mechanical, electrical, and thermal properties of carbon black filled epoxy adhesives, (2016) Polymers for Advanced Technologies, . Article in Press. DOI: 10.1002/pat.3894
134	. Rajak Hamim, F.A., Ghani, S.A., Zainudin, F., Properties of recycled high density polyethylene (RHDPE)/ ethylene vinyl acetate (EVA) blends: The effect of blends composition and compatibilisers, (2016) Journal of Physical Science, 27 (2), pp. 23-39. DOI: 10.21315/jps2016.27.2.3
135	. Liew, Y.M., Yong, H.C., Al Bakri Abdullah, M.M., Hussin, K., Jin, T.S., Characterization of alum crystals synthesized from waste aluminium beverage cans, (2016) Materials Science Forum, 857, pp. 514-518 DOI: 10.4028/www.scientific.net/MSF.857.514
136	. Azimi, E., Al Bakri Abdullah, M.M., Ming, L.Y., Yong, H.C., Hussin, K., Aziz, I.H., Processing and properties of geopolymers as thermal insulating materials: A review, (2016) Reviews on Advanced Materials Science, 44 (3), pp. 273-285.
137	. Che Halin, D.S., Azhari, A.W., Synthesis of chlorophyll thin film from noni leaves via dip coating process, (2016) Materials Science Forum, 857, pp. 142-145. DOI: 10.4028/www.scientific.net/MSF.857.142
138	. Deraman, L.M., Al Bakri Abdullah, M.M., Yun Ming, L., Hussin, K., Yahya, Z., The strength of bottom ash-based geopolymer brick with inclusion of fly ash, (2016) Materials Science Forum, 841, pp. 26-29. DOI: 10.4028/www.scientific.net/MSF.841.26
139	. Phua, J.-L., Teh, P.-L., Ghani, S.A., Yeoh, C.-K., The influence of blending methods in epoxy/pmma polymer blend, (2016) Materials Science Forum, 857, pp. 174-178. DOI: 10.4028/www.scientific.net/MSF.857.174
140	. Nadiatul Husna, A., Lim, B.Y., Salmah, H., Voon, C.H., Palm kernel shell filled recycled high- density polyethylene: Effect of filler loading, (2016) Materials Science Forum, 857, pp. 191- 195. DOI: 10.4028/www.scientific.net/MSF.857.191
141	. Ismail, S.A., Jamil, N.H., Kamarudin, H., Salleh, M.A.A.M., Tin (Sn) recovery from wave soldering lead free solder dross via hydrochloric acid leaching and combustion treatment, (2016) Materials Science Forum, 857, pp. 535-539. DOI:

	10.4028/www.scientific.net/MSF.857.535
142	. Oon, Y.-S., Ong, S.-A., Ho, L.-N., Wong, Y.-S., Oon, Y.-L., Lehl, H.K., Thung, W.-E., Long-term operation of double chambered microbial fuel cell for bio-electro denitrification ,(2016) Bioprocess and Biosystems Engineering, 39 (6), pp. 893-900. DOI: 10.1007/s00449-016-1568-y
143	. Rahman, W., Shamsul, J.B., Mazlee, M.N., Optimization of holding time on microwave irradiation of the composite iron-chromium reinforced with alumina particle, (2016) Key Engineering Materials, 673, pp. 107-115DOI: 10.4028/www.scientific.net/KEM.673.107
144	. Tony, V., Voon, C.H., Lee, C.C., Lim, B.Y., Rahman, W., Hashim, U., Ruslinda, A.R., Md Arshad, M.K., Foo, K.L., Gopinath, S.C.B., Ayoib, A., Thivina, V., Ba Hashwan, S.S., Microwave irradiation assisted synthesis of silicon carbide nanotubes, (2016) Materials Science Forum, 857, pp. 111-115DOI: 10.4028/www.scientific.net/MSF.857.111
145	. Kamaruddin, R., Al Bakri Abdullah, M.M., Mohd Tahir, M.F., Ekaputri, J.J., Oil palm clinker potentiality for producing lightweight concrete: Compressive strength, tensile and modulus of elasticity analysis, (2016) Materials Science Forum, 841, pp. 200-209. DOI: 10.4028/www.scientific.net/MSF.841.200
146	. Munirah, N.R., Noriman, N.Z., Salihin, M.Z., Sam, S.T., Mustafa Al Bakri, A.M., Kamarudin, H., Rosniza, H., Omar, M.F., The effects of trans-polyoctylene rubber (TOR) on the cure characteristics and swelling behaviour of activated carbon filled styrene butadiene rubber (SBR) vulcanizates, (2016) Materials Science Forum, 857, pp. 164-168. DOI: 10.4028/www.scientific.net/MSF.857.164
147	. Nadhirah, A.A., Sam, S.T., Noriman, N.Z., Abdullah, M.M.A.B., Omar, M.F., Kamarudin, H., Characterization of linear low density polyethylene/rambutan peels flour blends: Effect of loading content, (2016) Key Engineering Materials, 673, pp. 171-179. DOI: 10.4028/www.scientific.net/KEM.673.171
148	. Kamaruddin, R., Abdullah, M.M.A.B., Tahir, M.F., Flexural and crack analysis of oil palm clinker in lightweight reinforced concrete beams, (2016) Key Engineering Materials, 673, pp. 65-74. DOI: 10.4028/www.scientific.net/KEM.673.65
149	. Kahar, S.M., Voon, C.H., Lee, C.C., Foo, K.L., Lim, B.Y., Md Arshad, M.K., Liu, W.-W., Ruslinda, A.R., Hashim, U., Adelyn, P., Huda, A.R.N., Lee, H.C., Rahman, W., Characterization of silicon carbide nanowhiskers synthesized by microwave heating using photoluminescence spectroscopy and fourier transform infrared spectroscopy, (2016) Materials Science Forum, 857, pp. 116-120. DOI: 10.4028/www.scientific.net/MSF.857.116
150	. Khor, S.F., Md Yusoff, M.H.A., Cheng, E.M., Rojan, M.A., Johar, B., Chik, A., Talib, Z.A., Poobalan, B., Dielectric spectroscopy on mixture of rice husk, rice husk ash and rice bran from 4 Hz to 1 MHz,(2016) International Journal of GEOMATE, 11 (1), pp. 2150-2154.
151	. Kahar, S.M., Voon, C.H., Lee, C.C., Lim, B.Y., Md Arshad, M.K., Foo, K.L., Liu, W.-W., Ruslinda, A.R., Hashim, U., Adelyn, P., Huda, A.R.N., Lee, H.C., Rahman, W., Synthesis of silicon carbide nanowhiskers from graphite and silica of different ratio by microwave irradiation assisted synthesis, (2016) Materials Science Forum, 857, pp. 121-125. DOI: 10.4028/www.scientific.net/MSF.857.121
152	. Lin, O.H., Yee, T.G., Azza, N.A.N.N., Safwan, M.M., Villagracia, A.R., Mern, C.K., Abdullah, M.M.A.B., Utilization of modified palm kernel shell for biocomposites production, (2016) Key Engineering Materials, 700, pp. 60-69DOI: 10.4028/www.scientific.net/KEM.700.60
153	. Nordin, N., Abdullah, M.M.A.B., Tahir, M.F.M., Sandu, A.V., Hussin, K., Utilization of fly ash waste as construction material, (2016) International Journal of Conservation Science, 7 (1), pp. 161-166.
154	. Warid Wazien, A.Z., Al Bakri Abdullah, M.M., Abd Razak, R., Mohd Remy Rozainy, M.A.Z., Mohd Tahir, M.F., Hussin, K., Potential of geopolymers mortar as concrete repairing materials, (2016) Materials Science Forum, 857, pp. 382-387, DOI:10.4028/www.scientific.net/MSF.857.382
155	. Daud, Y.M., Hussin, K., Ghazali, C.M.R., Osman, A.F., Abdullah, M.M.A.B., Hussain, M.B., Effect of mixing technique on epoxy resin nanocomposites filled fly ash based geopolymers to compressive properties, (2016) Key Engineering Materials, 673, pp. 55-63. DOI: 10.4028/www.scientific.net/KEM.673.55

156	. Azree Jamil, M.A., Banjuraizah, J., Khor, S.F., Ahmad, Z.A., Synthesis and characterization of PZT doped lanthanum, neodymium and yttrium using sol gel method, (2016) Materials Science Forum, 840, pp. 66-70 DOI: 10.4028/www.scientific.net/MSF.840.66
157	. Al Bakri Abdullah, M.M., Mohd Tahir, M.F., Hussin, K., Binhussain, M., Ekaputri, J.J., Effect of microwave curing to the compressive strength of fly ash based geopolymer mortar, (2016) Materials Science Forum, 841, pp. 193-199. DOI: 10.4028/www.scientific.net/MSF.841.193
158	. Azhari, A.W., Sopian, K., Che Halin, D.S., Ibrahim, A.H., Zaidi, S.H., Response surface methodology (RSM) in fabrication of nanostructured silicon, (2016) Materials Science Forum, 857, pp. 151-155. DOI: 10.4028/www.scientific.net/MSF.857.151
159	. Voon, C.H., Lim, B.Y., Foo, K.L., Hashim, U., Sam, S.T., Md Arshad, M.K., Baharuddin, A.F., Effect of concentration of oxalic acid on the synthesis of porous anodic alumina (PAA) on aluminum alloy AA6061, (2016) Materials Science Forum, 857, pp. 281-285, DOI:10.4028/www.scientific.net/MSF.857.281
160	. Nur Hidayah, A.Z., Shamsul, J.B., Ahmad, K.R., Sinar, A.A., Ahmad Mujahid, A.Z., Ageing response of powder metallurgy AZ91 and AZ91 reinforced with multiwall carbon nanotube, (2016) Materials Science Forum, 857, pp. 261-265, DOI:10.4028/www.scientific.net/MSF.857.261
161	. Hasni, N.S., Jamil, N.H., Chik, A., Arif, W.I.W.M., Seong, H.E., Effects of acid on the performance of polishing process, (2016) Key Engineering Materials, 700, pp. 50-59. DOI: 10.4028/www.scientific.net/KEM.700.50
162	. Chan, M.Y., Koay, S.C., Husseinsyah, S., Sam, S.T., (2016) Advances in Polymer Technology, . Article in Press. DOI: 10.1002/adv.21784
163	. Jaya, H., Omar, M.F., Akil, M., Ahmad, Z.A., Zulkepli, N.N., Effect of particle size on mechanical properties of sawdust-high density polyethylene composites under various strain rates, (2016) BioResources, 11 (3), pp. 6489-6504, DOI: 10.15376/biores.11.3.6489-6504
164	. Ghani, S.A., Pisal, M.H.M., Zainuddin, F., Ismail, H., The effect of the chemical modification of wood fibre using salicylic acid and ethanol on the properties of recycled high density polyethylene/wood fibre composites, (2016) Journal of Physical Science, 27 (1), pp. 1-14.
165	. Jaya, H., Omar, M.F., Md Akil, H., Ahmad, Z.A., Zulkepli, N.N., Effect of alkaline treatment on sawdust reinforced high density polyethylene composite under wide strain rate, (2016) Materials Science Forum, 840, pp. 103-107. DOI: 10.4028/www.scientific.net/MSF.840.103
166	. Daud, Y.M., Hussin, K., Ghazali, C.M.R., Osman, A.F., Al Bakri Abdullah, M.M., Bin Hussain, M., Compressive properties of white clay based geopolymer filled epoxy composite, (2016) Materials Science Forum, 841, pp. 30-33. DOI: 10.4028/www.scientific.net/MSF.841.30
167	. Hamzah, H.N., Al Bakri Abdullah, M.M., Heah, C.Y., Arif Zainol, M.R.R., Hussin, K., Assessment to the solid to liquid ratios on the soil strength and water absorption of the kedah's soil, (2016) Materials Science Forum, 841, pp. 59-64 DOI: 10.4028/www.scientific.net/MSF.841.59
168	. Azri Aziz, M.N., Banjuraizah, J., Khor, S.F., Ahmad, Z.A., Synthesis and structural characterization of La <sub>0.8</sub> Sr <sub>0.2</sub> Mo <sub>3</sub> (M=Mn, Fe, Co and Cr) solid ionic material for catalyst application, (2016) Materials Science Forum, 840, pp. 48-51. DOI: 10.4028/www.scientific.net/MSF.840.48
169	. Kok, E., Johar, B., Khor, S.F., Ahmad, Z.A., Preparation and characterization of porous cordierite for catalyst support application, (2016) Materials Science Forum, 840, pp. 71-76. DOI: 10.4028/www.scientific.net/MSF.840.71
170	. Munirah, N.R., Noriman, N.Z., Salihin, M.Z., Kamarudin, H., Fatin, M.H., Sam, S.T., Mustafa Al Bakri, A.M., Rosniza, H., The effects on cure characteristics, physico-mechanical properties and morphology of bamboo activated carbon filled styrene butadiene rubber (SBR) vulcanizates, (2016) Key Engineering Materials, 673, pp. 131-140 DOI: 10.4028/www.scientific.net/KEM.673.131
171	. Jaya, H., Omar, M.F., Md Akil, H., Ahmad, Z.A., Zulkepli, N.N., Abdullah, M.M.A.B.,

	Compressive mechanical properties of sawdust/high density polyethylene composites under various strain rate loadings, (2016) Journal of Vinyl and Additive Technology, . Article in Press. DOI: 10.1002/vnl.21542
172	. Reshak, A.H., Revealing the electronic structure and optical properties of K <sub>6</sub> [Mo <sub>4</sub> O <sub>8</sub> F <sub>10</sub> ] novel molybdenum oxyfluoride materials, (2016) Philosophical Magazine, 96 (30), pp. 3131- 3142. DOI: 10.1080/14786435.2016.1227879
173	. Voon, C.H., Lim, B.Y., Foo, K.L., Hashim, U., Sam, S.T., Md Arshad, M.K., Mustafa, N.A.I., Synthesis of porous anodic alumina (PAA) on aluminum alloy AA6061 in mixture of phosphoric acid and oxalic acid, (2016) Materials Science Forum, 857, pp. 237-241. DOI: 10.4028/www.scientific.net/MSF.857.237
174	. Abdullah, M.M.A.B., Nordin, N., Tahir, M.F.M., Kadir, A.A., Sandu, A.V., Potential of sludge waste utilization as construction materials via geopolymerization, (2016) International Journal of Conservation Science, 7 (3), pp. 753-758.
175	. Mohd Sobri, F.A., Mohd Salleh, M.A.A., Ghazali, C.M.R., Narayanan, P., Solderability and interfacial intermetallic compound (IMC) growth of Sn-Cu-Ni solder with additions of Germanium, (2016) Materials Science Forum, 857, pp. 8-12. DOI: 10.4028/www.scientific.net/MSF.857.8
176	. Chun, K.S., Yeng, C.M., Hussiensyah, S., Green coupling agent for agro-waste based thermoplastic composites, (2016) Polymer Composites, . DOI: 10.1002/pc.24228
177	. Zailuddin, N.L.I., Husseinsyah, S., Hahary, F.N., Ismail, H., Treatment of oil palm empty fruit bunch regenerated cellulose biocomposite films using methacrylic acid, (2016) BioResources, 11 (1), pp. 873-885. DOI: 10.15376/biores.11.1.873-885
178	. Chun, K.S., Husseinsyah, S., Yeng, C.M., Torque rheological properties of agro-waste-based polypropylene composites: Effect of filler content and green coupling agent, (2016) Journal of Vinyl and Additive Technology, DOI: 10.1002/vnl.21561
179	. Aslan, M., Reshak, A.H., Yalcin, B.G., Bagci, S., Ustundag, M., Structural and electronic properties of In <sub>N</sub> xP <sub>1-x</sub> alloy in full range (0 ≤ x ≤ 1), (2016) Philosophical Magazine, 96 (10), pp. 991-1005. DOI: 10.1080/14786435.2016.1149248
180	. Nogita, K., Mohd Salleh, M.A.A., Tran, X.Q., Read, J., Smith, S., McDonald, S.D., Effects of trace phosphorus in Sn-Cu-Ni wave solder dross, (2016) Materials Science Forum, 857, pp. 49-52. DOI: 10.4028/www.scientific.net/MSF.857.49
181	. Xuan, L.Y., Johar, B., Ahmad, Z.A., Characterization of cordierite glass with the addition colorant ceramic glaze for FIR therapy, (2016) Materials Science Forum, 840, pp. 207-212. DOI: 10.4028/www.scientific.net/MSF.840.207
182	. Shantini, D., Nainggolan, I., Nasution, T.I., Derman, M.N., Mustaffa, R., Abd Wahab, N.Z., Hexanal Gas Detection Using Chitosan Biopolymer as Sensing Material at Room Temperature, (2016) Journal of Sensors, 2016, art. no. 8539169, DOI:0.1155/2016/8539169
183	. Reshak, A.H., Thermoelectric properties of the spin-polarized half-metallic ferromagnetic CsTe and RbSe compounds, (2016) RSC Advances, 6 (100), pp. 98197 -98207. DOI: 10.1039/c6ra22758a
184	. Reshak, A.H., Revealing the spin-polarized optical properties of monoclinic α-Eu <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> : A DFT +: U approach, (2016) RSC Advances, 6 (57), pp. 51675-51682. DOI: 10.1039/c6ra06022f
185	. Kasa, S.N., Omar, M.F., Nizam, I., Morphology, thermal and chemical properties of nanocrystalline cellulose (NCC) hydrolyzed from banana stem, (2016) Materials Science Forum, 840, pp. 257-261. DOI: 10.4028/www.scientific.net/MSF.840.257
186	. Reshak, A.H., Thermoelectric properties of highly-mismatched alloys of GaN: XAs <sub>1-x</sub> from first- to second-principles methods: Energy conversion, (2016) RSC Advances, 6 (76), pp. 72286-72294. DOI: 10.1039/c6ra14685f
187	. Azieyanti, N.A., Salmah, H., The effect of eco-degradant PD04 on the properties of recycled polyethylene/chitosan biocomposites, (2016) ARPN Journal of Engineering and Applied Sciences, 11 (4), pp. 2632-2638.
188	. Syed Nuzul Fadzli, S.A., Roslinda, S., Zainuddin, F., Synthesis of 60 (wt.%)SiO <sub>2</sub> -40 (wt.%)CaO sol-gel derived glass-ceramic and in vitro bioactivity assessment in SBF solution, (2016) Key Engineering Materials, 673, pp. 161-170. DOI:

	10.4028/www.scientific.net/KEM.673.161
189	. Begum, N., Khuzaima, N., Ching, F.F., Bari, M.F., Rezan, S., Characterization of Langkawi black sand for the recovery of titanium, (2016) Key Engineering Materials, 709, pp. 70-73. DOI: 10.4028/www.scientific.net/KEM.709.70
190	. Yeng, C.M., Husseinsyah, S., Amirudin, M.A.A.A., Tensile and thermal properties of crosslinked chitosan/empty fruit bunch biofilms by phthalic anhydride, (2016) Journal of Physical Science, 27 (2), pp. 67-81. DOI: 10.21315/jps2016.27.2.6
191	. Yeng, C.M., Husseinsyah, S., Bakaruddin, N.A., Properties of recycled polypropylene/chloroprene rubber blends: The effects of dynamic vulcanization, (2016) Journal of Physical Science, 27 (3), pp. 121-136. DOI: 10.21315/jps2016.27.3.8
192	. Reshak, A.H., Electronic and optical properties of $\beta$ '-Tb <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> : DFT+U approach, (2016) European Physical Journal B, 89 (11), art. no. 256, . DOI: 10.1140/epjb/e2016-70430-x
193	. Johar, B., Ahmad, Z.A., Crystallite size measurement of doped CaCu <sub>2.8</sub> Co <sub>0.2</sub> Ti <sub>4</sub> O <sub>12</sub> ceramic samples using various method, (2016) Materials Science Forum, 840, pp. 131-137. DOI: 10.4028/www.scientific.net/MSF.
194	. Abdullah, N., Johar, B., Ahmad, Z.A., Synthesis and characterization of colorant glass and glass ceramic from non stoichiometric cordierite composition with the addition of colorant material at different temperature, (2016) Materials Science Forum, 840, pp. 44-47. DOI: 10.4028/www.scientific.net/MSF.840.44
195	. Reshak, A.H., Transport properties of the n-type SrTiO <sub>3</sub> /LaAlO <sub>3</sub> interface, (2016) RSC Advances, 6 (95), pp. 92887-92895. DOI: 10.1039/c6ra21929b
196	. Zhafer, S.F., Rozyanty, A.R., Shahnaz, S.B.S., Musa, L., Zuliahani, A., Transverse and longitudinal flexural properties of untreated and maleic anhydride treated kenaf bast fiber reinforced unsaturated polyester composites, (2016) Key Engineering Materials, 700, pp. 93-101. DOI: 10.4028/www.scientific.net/KEM.700.93
197	. Reshak, A.H., Transport properties of Co-based Heusler compounds Co <sub>2</sub> VAl and Co <sub>2</sub> VGa: Spin-polarized DFT+U, (2016) RSC Advances, 6 (59), pp. 54001-54012. DOI: 10.1039/c6ra10226c
198	. Ramasamy, S., Hussin, K., Abdullah, M.M.A.B., Ghazali, C.M.R., Sandu, A.V., Binhussain, M., Shahedan, N.F., Adhesiveness of kaolin based coating material on lumber wood, (2016) Key Engineering Materials, 673, pp. 47-54. DOI: 10.4028/www.scientific.net/KEM.673.47
199	. Ramasamy, S., Hussin, K., Al Bakri Abdullah, M.M., Ghazali, C.M.R., Sandhu, A.V., Binhussain, M., Correlation between mix design study and flexural strength of kaolin coated lumber wood via geopolymer technology, (2016) Materials Science Forum, 841, pp. 34-39. DOI: 10.4028/www.scientific.net/MSF.841.34
200	. Ramasamy, S., Hussin, K., Al Bakri Abdullah, M.M., Ghazali, C.M.R., Sandhu, A.V., Binhussain, M., Optical data support on flexural strength of kaolin coated lumber wood via geopolymer technology, (2016) Materials Science Forum, 857, pp. 431-436. DOI: 10.4028/www.scientific.net/MSF.857.431
201	. Jun, N.H., Al Bakri Abdullah, M.M., Hussin, K., Tan, S.J., Omar, M.F., Kadir, A.A., Tran, M.V., Strength of Portland cement with several composition of bottom ash in different fineness with curing time of 28 days, (2016) Materials Science Forum, 857, pp. 311-313. DOI: 10.4028/www.scientific.net/MSF.857.311
202	. Reshak, A.H., Auluck, S., Influence of an oxygen vacancy on the electronic structure of the asymmetric mixed borate-carbonate Pb <sub>7</sub> O(OH) <sub>3</sub> (CO <sub>3</sub> ) <sub>3</sub> (BO <sub>3</sub> ), (2016) RSC Advances, 6 (23), pp. 18965-18972. DOI: 10.1039/c5ra24601f
203	. Abdul Wahab, N.S., Omar, M.F., Md Akil, H., Ahmad, Z.A., Zulkepli, N.N., Effect of surface modification on rice husk (Rh)/linear low density polyethylene (Lldpe) composites under various loading rates, (2016) Materials Science Forum, 840, pp. 3-7., DOI: 10.4028/www.scientific.net/MSF.840.3
204	. Kahar, A.W.M., Ismail, H., Abdul Hamid, A., The correlation between crosslink density and thermal properties of high-density polyethylene/natural rubber/thermoplastic tapioca starch blends prepared via dynamic vulcanisation approach, (2016) Journal of Thermal

	Analysis and Calorimetry, 123 (1), pp. 301-308. DOI: 10.1007/s10973-015-4880-x
205	. Mohd Salleh, M.A.A., Said, R.M., Saud, N., Yasuda, H., McDonald, S.D., Nogita, K., Effect of TiO <sub>2</sub> on the formation of primary and interfacial Cu <sub>6</sub> Sn <sub>5</sub> in Sn-0.7wt%Cu and Sn-0.7wt%Cu-0.05wt%Ni solder paste during soldering, (2016) Key Engineering Materials, 700, pp. 161- 169. DOI: 10.4028/www.scientific.net/KEM.700.161
206	. Mohammed, K.S., Gowon, B., Jamaludden, S.B., Hussain, Z., Shobi, H.M., Evarastics, P., Effects of composition and Fe on the liquid phase sintered W- brass composites, (2016) Materials Science Forum, 857, pp. 183-190., DOI: 10.4028/www.scientific.net/MSF.857.183
207	. Hayeemasae, N., Ismail, H., Khoon, T.B., Husseinsyah, S., Harahap, H., Effect of carbon black on the properties of polypropylene/recycled natural rubber glove blends, (2016) Progress in Rubber, Plastics and Recycling Technology, 32 (4), pp. 241-252.
208	. Narsimha Rao, E., Vaitheeswaran, G., Reshak, A.H., Auluck, S., Effect of lead and caesium on the mechanical, vibrational and thermodynamic properties of hexagonal fluorocarbonates: A comparative first principles study, (2016) RSC Advances, 6 (102), pp. 99885-99897. DOI: 10.1039/c6ra20408b
209	. Sinar, A.A., Firuz, Z., Nur Hidayah, A.Z., Hazizan, M.A., Sahrim, H.A., Rigid polyurethane foam with ionic liquid modified multi walled carbon nanotubes composites, (2016) Materials Science Forum, 857, pp. 159-163. DOI: 10.4028/www.scientific.net/MSF.857.159
210	. Reshak, A.H., Parasyuk, O.V., Kamarudin, H., Kityk, I.V., Alahmed, Z.A., Alzayed, N.S., Auluck, S., Fedorchuk, A.O., Chyský, J., Experimental and theoretical study of the electronic structure and optical spectral features of Pbn <sub>6</sub> Te <sub>10</sub> , (2016) RSC Advances, 6 (77), pp. 73107-73117. DOI: 10.1039/c6ra12734g
211	. Bentouaf, A., Mebsout, R., Rached, H., Amari, S., Reshak, A.H., Aïssa, B., Theoretical investigation of the structural, electronic, magnetic and elastic properties of binary cubic C15-Laves phases TbX <sub>2</sub> (X = Co and Fe), (2016) Journal of Alloys and Compounds, 689, pp. 885-893. DOI: 10.1016/j.jallcom.2016.08.046
212	. Reshak, A.H., Exploring the electronic structure of Pb <sup>2+</sup> ions containing material Pb <sub>16</sub> (OH) <sub>16</sub> (NO <sub>3</sub> ) <sub>16</sub> , (2016) Journal of Physics and Chemistry of Solids, 99, pp. 75-81. DOI: 10.1016/j.jpcs.2016.08.011
213	. Ibraheam, A.S., Al-Douri, Y., Al-Fhdawi, J.M.S., Al-Jumaili, H.S., Verma, K.D., Hashim, U., Ayub, R.M., Rahim Ruslinda, A., Md Arshad, M.K., Reshak, A.H., Abd Hamid, S.B., Structural, optical and electrical properties of Cu <sub>2</sub> Zn <sub>1-x</sub> CdxSn <sub>4</sub> quaternary alloys nanostructures deposited on porous silicon, (2016) Microsystem Technologies, 22 (12), pp. 2893-2900. DOI: 10.1007/s00542-015-2647-8
214	. Reshak, A.H., Thermoelectric Properties of the Intermetallic Quasi-Two-Dimensional Layered Structure LiBe, (2016) Journal of Electronic Materials, 45 (11), pp. 5546-5553. DOI: 10.1007/s11664-016-4791-
215	. Habubi, N.F., Abd, A.N., Dawood, M.O., Reshak, A.H., Fabrication and Characterization of a p-AgO/PSi/n-Si Heterojunction for Solar Cell Applications, (2016) Silicon, pp. 1-6. Article in Press. DOI: 10.1007/s12633-016-9457-1
216	. Reshak, A.H., Brik, M.G., Strong second harmonic generation in LilnX <sub>2</sub> (X=Se, Te) chalcopyrite crystals as explored by first-principles methods, (2016) Journal of Alloys and Compounds, 675, pp. 355-363. DOI: 10.1016/j.jallcom.2016.03.104
217	. Upadhaya, P., Prakash, D., Shaaban, E.R., Al-Douri, Y., Khenata, R., Reshak, A.H., Darroudi, M., Verma, K.D., Realization and computational analysis of splitting in higher order optical vortices, (2016) Optik, 127 (14), pp. 5757-5760. , DOI: 10.1016/j.ijleo.2016.03.051
218	. Reshak, A.H., Shahimin, M.M., Khor, K.N., Wahid, M.H.A., Ahmad Hambali, N.A.M., Evanescent field optimization on Y-branch silicon nitride optical waveguide for biosensing, (2016) Materials Letters, 173, pp. 127-130. DOI: 10.1016/j.matlet.2016.02.142
219	. Reshak, A.H., Electronic structure and transport properties of Ba <sub>2</sub> Cd <sub>2</sub> Pn <sub>3</sub> (Pn = As and Sb): An efficient materials for energy conversion, (2016) Journal of Alloys and Compounds, 670, pp. 1-11. DOI: 10.1016/j.jallcom.2016.02.010
220	. Alahmed, Z.A., Reshak, A.H., Chantrapromma, S., Fun, H.-K., Investigation of structural, electronic, and optical properties of the monoclinic and triclinic polymorphs of

hexamethylenetetraminium 2,4-dinitrophenolate monohydrate (C <sub>6</sub> H <sub>13</sub> N <sub>4</sub> <sup>+</sup> • C <sub>6</sub> H <sub>3</sub> N <sub>2</sub> O <sub>5</sub> <sup>-</sup> • H <sub>2</sub> O) compound: A DFT approach, (2016) Materials Chemistry and Physics, 172, pp. 77- 86. DOI: 10.1016/j.matchemphys.2015.12.063
--